





















立柱 Column

XQJ-H-01A 工字钢立柱 H-girder Column Model XQJ-H-01A		序号 NO.	型号 Model	B=80×L	重量/件 (kg) Weight/Piece	B=100×L	重量/件 (kg) Weight/Piece	
		1	H-01A-3	300	3.34	300	4.06	
		2	H-01A-5	500	5.57	500	6.76	
		3	H-01A-8	800	8.91	800	10.74	
		4	H-01A-10	1000	11.14	1000	13.51	
		5	H-01A-15	1500	16.71	1500	20.27	
		6	H-01A-20	2000	22.29	2000	27.03	
		7	H-01A-25	2500	27.86	2500	33.79	
		8	H-01A-30	3000	33.43	3000	40.54	
II型加重1.01kg/件 For Model II, the weight of each is added by 1.01kg		序号 NO.	型号 Model	规格 L Size	重量/件 (kg) Weight/Piece	备 注 Remarks		
		1	H-01B-3	300	3.23			
		2	H-01B-5	500	5.39			
		3	H-01B-8	800	8.61			
		4	H-01B-10	1000	10.77			
		5	H-01B-15	1500	16.16			
		6	H-01B-20	2000	21.54			
XQJ-H-01C 槽钢立柱 E-channel Column Model XQJ-H-01C		序号 NO.	型号 Model	规格 L Size	重量/件 (kg) Weight/Piece	备 注 Remarks		
		1	H-01C-3	300	4.29			
		2	H-01C-5	500	7.16			
		3	H-01C-8	800	11.44			
		4	H-01C-10	1000	14.30			
		5	H-01C-15	1500	21.44			
		6	H-01C-20	2000	22.89			
II型加重1.01kg/件 For Model II, the weight of each is added by 1.01kg		序号 NO.	型号 Model	规格 L Size	重量/件 (kg) Weight/Piece	备 注 Remarks		
		1	H-01D-3	300	1.61			
		2	H-01D-5	500	2.69			
		3	H-01D-8	800	4.31			
		4	H-01D-10	1000	5.39			
		5	H-01D-15	1500	8.09			
		6	H-01D-20	2000	10.77			
XQJ-H-01E 异型立柱 Special-shaped Steel Column Model XQJ-H-01E		序号 NO.	型号 Model	规格 L Size	重量/件 (kg) Weight/Piece	备 注 Remarks		
		1	H-01E-3	300	1.63			
		2	H-01E-5	500	2.72			
		3	H-01E-8	800	4.36			
		4	H-01E-10	1000	5.46			
		5	H-01E-15	1500	8.16			
		6	H-01E-20	2000	10.87			
XQJ-ZJ1 型支架 Support Model XQJ-ZJ1		型号 Model	b(mm)	a(mm)	c(mm)	e(mm)	重量 Weight	
		ZJ1-2	250	250		50 L50×5	4.04	
		ZJ1-3	350				4.58	
		ZJ1-4	450				5.12	
		ZJ1-5	550				5.98	
		ZJ1-6	650	280	470	63 L63×6	9.89	
		ZJ1-10	1050				13.16	
		ZJ1-12	1250				14.79	
		XQJ-ZJ2 型支架 Support Model XQJ-ZJ2		型号 Model	b(mm)		c(mm)	
ZJ2-2	250					2.38		
ZJ2-3	350					3.31		
ZJ2-4	450					4.25		
ZJ2-5	550					5.21		
ZJ2-6	650			470	570	6.16		
ZJ2-10	1050					9.94		
ZJ2-12	1250					11.84		
XQJ-ZJ3 型支架 Support Model XQJ-ZJ3				型号 Model	b(mm)	a(mm)	h(mm)	e(mm)
		ZJ3-1	150	250	100	40×4	2.38	
		ZJ3-2	250	350			2.73	
		ZJ3-3	350	460			4.13	
		ZJ3-4	450	560	100	50×5	4.66	
		ZJ3-5	550	660			5.17	
		ZJ3-6	650	760			5.71	
		ZJ3-10	1050	1170	100	63×6	11.40	
		ZJ3-12	1250	1370			11.84	














托臂 Bracket

产品外形 Shape	型号 Model	L	重量kg Weight	安装图例 Schematic diagram
XQJ-TB-01A 型托臂 Bracket Model XQJ-TB-01A 	TB-01A-10	125	0.98	 H-01A型I字钢立柱 I-shaped Steel Column H-01A TB-01A型托臂 Bracket model TB-01A
	TB-01A-15	175	1.35	
	TB-01A-20	225	1.76	
	TB-01A-25	275	2.04	
	TN-01A-30	325	2.34	
	TB-01A-40	425	3.52	
	TB-01A-50	525	4.12	
	TB-01A-60	625	4.70	
	TB-01A-80	825	6.24	
XQJ-TB-01B 型托臂 Bracket Model XQJ-TB-01B 	TB-01B-10	125	0.91	 TB-01B型托臂 Bracket model TB-01B 墙(柱) Wall (Column)
	TB-01B-15	175	1.33	
	TB-01B-20	225	1.74	
	TB-01B-25	275	1.98	
	TN-01B-30	325	2.32	
	TB-01B-40	425	2.92	
	TB-01B-50	525	3.51	
	TB-01B-60	625	4.11	
	TB-01B-80	825	5.29	
XQJ-TB-02A 型托臂 Bracket Model XQJ-TB-02A 	TB-02-10	125	0.96	 Special-shaped Column H-01 H-01E异型立柱 TB-02型托臂 Bracket Model TB-02
	TB-02-15	175	1.19	
	TB-02-20	225	1.60	
	TB-02-25	275	1.95	
	TN-02-30	325	2.18	
	TB-02-40	425	2.78	
	TB-02-50	525	3.36	
	TB-02-60	625	3.98	
	TB-02-80	825	5.15	
XQJ-TB-03A 型托臂 Bracket Model XQJ-TB-03A 	TB-03A-10	125	0.92	 TB-03A型托臂 Bracket model TB-03A 墙(柱) Wall (Column)
	TB-03A-15	175	1.17	
	TB-03A-20	225	1.56	
	TB-03A-25	275	1.89	
	TN-03A-30	325	2.12	
	TB-03A-40	425	2.32	
	TB-03A-50	525	2.72	
	TB-03A-60	625	3.95	
	TB-03A-80	825	5.12	
XQJ-TB-03B 型托臂 Bracket Model XQJ-TB-03B 	TB-03B-10	125	0.79	 H-01D 型立柱 Column model H-01D TB-03B型托臂 Bracket model TB-03B
	TB-03B-15	175	0.94	
	TB-03B-20	225	1.26	
	TB-03B-25	275	1.38	
	TB-03B-30	325	1.57	
	TB-03B-40	425	1.78	
	TB-03B-50	525	1.96	
	TB-03B-60	625	2.84	
	TB-03B-80	825	4.16	
XQJ-TB-04 型托臂 Bracket Model XQJ-TB-04 	TB-04-15	150	0.94	 膨胀螺栓 Expansion bolt Bracket model TB-04 TB-04型托臂 XQJ系列桥架 XQJ Series Cable Support
	TB-04-20	200	1.26	
	TB-04-30	300	1.57	
	TB-04-35	350	1.71	
	TN-04-40	400	1.88	
	TB-04-50	500	2.20	
	TB-04-55	550	2.36	
	TB-04-60	600	2.51	
	TB-04-70	700	2.83	
	TB-04-80	800	3.14	

连接附件 Connection Accessories

安装图例 Schematic diagram

产品外形 Shape	型号 Model	侧边高H(mm) Side Height	H ₁ (mm)	B ₁ (mm)	安装图例 Schematic Diagram
XQJ-TPC-01A 调宽片 Width adjusting piece XQJ-TPC-01A 	TPC-01A-100	75 100 150 200	50 75 125 175	100	 Width adjusting piece 调宽片 Connection bolt 连接螺栓 Cable Support 电缆桥架
	TPC-01A-150			150	
	TPC-01A-200			200	
	TPC-01A-300			300	
	TPC-01A-400			400	
	TPC-01A-500			500	
	TPC-01A-600			600	
XQJ-TPC-01B 调高片 Height adjusting piece XQJ-TPC-01B 	型号 Model	H ₁ (mm)	H ₂ (mm)	L (mm)	重量kg Weight
	TPC-01B-75/100	50	75	182	0.47
	TPC-01B-75/150	50	125	282	0.68
	TPC-01B-75/200	50	175		1.10
	TPC-01B-100/150	75	125		0.68
	TPC-01B-100/200	75	175	382	1.10
	TPC-01B-150/200	125	175		1.10
XQJ-TPC-02 直接片 Straight Connection piece XQJ-TPC-02 	型号 Model	侧边高H(mm) Side Height	L (mm)	H ₁ (mm)	重量kg Weight
	TPC-02-50	50/60	182	35	0.47
	TPC-02-75	75		50	0.78
	TPC-02-100	100		75	1.10
	TPC-02-125	125		100	1.42
	TPC-02-150	150	382	125	2.17
	TPC-02-200	200		175	3.68
XQJ-TPC-03 弯接片 Bend Connection piece XQJ-TPC-03 	型号 Model	侧边高H(mm) Side Height	L (mm)	H ₁ (mm)	重量kg Weight
	TPC-03-50	25	100	150	0.33
	TPC-03-75	50	120	200	0.62
	TPC-03-100	75		300	0.93
	TPC-03-150	125	0.75		
	TPC-03-200	175	5.50		
XQJ-TPC-04 调角片 Angle adjusting piece XQJ-TPC-04 	型号 Model	侧边高H(mm) Side Height	L (mm)	H ₁ (mm)	重量kg Weight
	TPC-04-75	75	50	166	0.52
	TPC-04-100	100	75	191	1.15
	TPC-04-150	150	125	341	2.12
	TPC-04-200	200	175	391	4.40
XQJ-TPC-05 固定压板 Fixed hold down plate XQJ-TPC-05 	TPC-05固定压板，主要用于梯级式桥架与托臂压固及梯级式桥架垂直安装时与墙壁固定 Modelk TPC-05 fixed holddown plate				 梯级式桥架 Ladder Support Connection bolt 连接螺栓 固定压板 Fixed holddown plate 托臂 bracket
XQJ-TPC-07 隔板 Partition plate XQJ-TPC-07 	 电缆桥架 Cable Support 隔板 Compartment 连接螺栓 Connection bolt				
	型号 Model	H ₁ (mm)	H ₂ (mm)	重量kg Weight	
	TPC-07-75	40	75	/	4.18
	TPC-07-100	75	100	4.18	6.84
	TPC-07-150	120	150	7.85	9.37
	TPC-07-200	170	200	12.97	14.87
XQJ-TPC-13 管接头 Pipe connector XQJ-TPC-13 					
 管接头 pipe connector 电缆桥架 Cable Support 引线管 Pipe					
型号 Model		G	M	D	
TPC-13-1/2"		1/2"	M22×1	18	
TPC-13-3/4"		3/4"	M27×1.5	22	
TPC-13-1"		1"	M33×1.5	28	
TPC-13-1 1/2"		1 1/2"	M48×2	38	
TPC-13-2"		2"	M56×2	48	

固定支架、悬吊式安装、引上、引下装置

Fixed support, Suspension Type Installation, Upword & Downward Leading Devices

HAT-GYX型引下装置
Vortical Hold Down Guides

C型 Type C A型 Type A B型 Type B G型 Type G D型 Type D

序号NO.	产品名称 Name	型号 Model	说明Directions
1	管接头	XQJ-TPC-13	GYX型引下装置，广泛应用于工矿企业。当电缆桥架引至用电设备，可通过该装置来实现，除图中列出的A、B、C、D、G型外，按用户需要可提供特殊类型的引下装置，欢迎选购。 Model GYX downward leading devices are widely applied in mines and industrial units .They can well connect cable trays with electrical equipments.Aside from model A.B.C.D.Gin figures, we can also provide you special types of downward leading devices
2	铝合金穿线盒	YHIX-E、T、S	
3	钢管	GG	
4	固定架	GDJ2	
5	开关底座	KGZ	
6	管座	GZ	
7	固定架	GDJ1	
8	吊杆	DG2	
9	钢管弯头	GWT	
10	钢管接头	GT	

GG型钢管
GG Steel tude

型号 Model	D(mm)	重量/米 (kg) Weight/m	备注 Remarks
GG-25	φ25	2.69	选型时不注明长度L，按4000mm供货。 While L is not specially indicated, we will supply products with their length of 4000mm.
GG-40	φ40	4.62	
GG-50	φ50	5.90	
GG-60	φ60	7.18	
GG-80	φ80	12.02	

GDJ₂型固定架
GDJ₂ Fixed frame

型号Model	D(mm)	备注Remarks
GDJ2-25	φ25	选型时请在型号内加注配套桥架高度H。 Please tell us the width H for cable tray at selection.
GDJ2-40	φ40	
GDJ2-50	φ50	
GDJ2-60	φ60	
GDJ2-80	φ80	

KGZ型开关底座
KGZ Switch Foundation

型号Model	D(mm)	备注Remarks
KGZ-25	φ25	选型时不注明仪表开关箱高度H，按400mm供货。 While H of meter boxes is not specially indicated,we will supply products with their height of 400mm.
KGZ-40	φ40	
KGZ-50	φ50	
KGZ-60	φ60	
KGZ-80	φ80	

GZ型管座
GZ Tube Bases

型号Model	D(mm)	备注Remarks
GZ1-25	φ25	选型时不注明高度H，按500mm供货。 While H is not specially indicated, we will supply products with their height of 500mm.
GZ1-40	φ40	
GZ1-50	φ50	
GZ1-60	φ60	
GZ1-80	φ80	

GDJ₁型固定架
GDJ₁ Fixed frame

型号Model	D(mm)	备注Remarks
GDJ1-25	φ25	选型时请在型号内加注配套桥架高度H。 Please tell us the width H for cable tray at selection.
GDJ1-40	φ40	
GDJ1-50	φ50	
GDJ1-60	φ60	
GDJ1-80	φ80	

DG2型吊杆
KGZ Switch Foundation

型号Model	L(mm)	重量 (kg) Weight	备注Remarks
DG2-5	500	1.21	
DG2-10	1000	2.04	
DG2-15	1500	3.27	
DG2-20	2000	4.42	
DG2-25	2500	5.53	

GWT型钢管90°弯头
GWT-Steel Tube Elbow


型号Model	D(mm)	R(mm)	重量/米(kg) Weight/m
GWT-25	φ25	300	2.69
GWT-40	φ40	300	4.62
GWT-50	φ50	500	5.90
GWT-60	φ60	500	7.18
GWT-80	φ80	500	12.02

GDJ₁型固定架
GT Stell Tube Connctors


型号Model	D(mm)	备注Remarks
GT-25	φ25	
GT-40	φ40	
GT-50	φ50	
GT-60	φ60	
GT-80	φ80	

护罩 Cover


XQJ-TPC-08直通护罩
Straight Cover Model XQJ-TPC-08




XQJ-TPC-09弯通护罩
Elbow Joint Cover Model XQJ-TPC-09




XQJ-TPC-10三通护罩
T-Joint Cover Model XQJ-TPC-10




XQJ-TPC-11四通护罩
Cross Cover Model XQJ-TPC-11



XQC-ZH-03吊杆
ZQC-ZH-03 Suspending rod



XQJ-C-01B□□□□
XQJ-C-01B Support end piece



序号 No.	型号 Model	宽度 B Width	质量 kg (件) Weight(Piece)
1	TPC-08-1	100	4.48
2	TPC-08-2	200	8.47
3	TPC-08-3	300	17.06
4	TPC-08-4	400	27.74
5	TPC-08-5	500	34.06
6	TPC-08-6	600	40.40
7	TPC-08-7	800	63.53

序号 No.	型号 Model	宽度 B Width	质量 kg (件) Weight(Piece)
1	TPC-09-2	200	2.58
2	TPC-09-3	300	7.39
3	TPC-09-4	400	14.15
4	TPC-09-5	500	18.90
5	TPC-09-6	600	24.24
6	TPC-09-8	800	43.52

序号 No.	型号 Model	宽度 B Width	质量 kg (件) Weight(Piece)
1	TPC-08-2	200	4.34
2	TPC-08-3	300	12.22
3	TPC-08-4	400	20.84
4	TPC-08-5	500	30.68
5	TPC-08-6	600	37.98
6	TPC-08-8	800	65.20

序号 No.	型号 Model	宽度 B Width	质量 kg (件) Weight(Piece)
1	TPC-08-2	200	5.71
2	TPC-08-3	300	11.48
3	TPC-08-4	400	31.35
4	TPC-08-5	500	39.27
5	TPC-08-6	600	47.90
6	TPC-08-8	800	71.34

序号 No.	型号 Model	宽度 B Width	质量 kg (件) Weight(Piece)
1	TPC-08-5	500	1.65
2	TPC-08-8	800	1.97
3	TPC-08-10	1000	2.14
4	TPC-08-12	1200	2.45
5	TPC-08-15	1500	2.66
6	TPC-08-20	2000	3.13

序号 No.	型号 Model	质量 kg (件) Weight(Piece)	序号 No.	型号 Model	质量 kg (件) Weight(Piece)
1	XQJ-C-01B-1	0.10	11	XQJ-C-01B-11	2.42
2	XQJ-C-01B-2	0.33	12	XQJ-C-01B-12	3.68
3	XQJ-C-01B-3	0.57	13	XQJ-C-01B-13	4.85
4	XQJ-C-01B-4	0.85	14	XQJ-C-01B-14	2.75
5	XQJ-C-01B-5	1.62	15	XQJ-C-01B-15	4.25
6	XQJ-C-01B-6	1.42	16	XQJ-C-01B-16	5.52
7	XQJ-C-01B-7	2.65	17	XQJ-C-01B-17	4.07
8	XQJ-C-01B-8	2.10	18	XQJ-C-01B-18	6.12
9	XQJ-C-01B-9	3.15	19	XQJ-C-01B-19	8.13
10	XQJ-C-01B-10	4.18			